Air Live®
Powered by OvisLink Corp.

EtherWe-1000U

USB 2.0 Ethernet Adapter

The EtherWe-1000U is a Hi-Speed USB 2.0 10/100Mbps Ethernet Adapter specifically designed to plug into an available USB port on a Wii™, the hottest gaming system, for it to link up with the internet and extend the capabilities of your Wii™.

Wii™ Compatible

AirLive EtherWe-1000U is guaranteed to be compatible with Wii™ because of the new generation solution from AirLive. No additional setups are needed.

AirLive EtherWe-1000U – an easier and cheaper alternative for your Wii™ to be online.

To connect a Wii™ to the Internet, you need to have a wireless router. With the AirLive EtherWe-1000U, just simply plug one end of the EtherWe-1000U to your Wii™ and connect the other end to your ADSL Router and voilà! Instant Internet Connection! No more messy settings to follow through. It's just that simple.

Your Wii™ on the Internet – Opening a whole new world for you.

With your Wii™ on the Internet, you can download the latest firmware, or buy the hottest and newest online games right from Wii™ shop. You will have the biggest game warehouse at your fingertips.

Popular Computer System Support

The EtherWe-1000U can bring instant internet connectivity not just to your Wii, but also to your PCs with Windows Vista, XP, 2000 and Mac OS X systems.

Wii : Wired Environment



Manufacturer
OvisLink Corp.
5F, No.96, Min-ChuanRd, Hsin-tien City, Taipei, Taiwan

Air Live®
Powered by OvisLink Corp.

PC/Mac : Wired Environment



Features

Features
- Compliant with Wii TM
- Compliant with USB 2.0 and USB 1.1 specifications
- Compliant with IEEE 802.3 (10Base-T) and 802.3u (100Base-TX) standards
- Supports both full-duplex and half-duplex operations
- Supports suspend mode and remote wakeup via link-up and magic packet
- Plug & Play installation
- Powered by USB port. No external power adapter required
- Equips with diagnostic LEDs

System Requirements
- IBM compatible Pentium-233MHz or faster PC or Mac
- 64 MB RAM or more
- One available USB port
- Windows® 2000, XP, Vista™ 32/64-bit; Mac OS X

Specifications

Network Standards
- IEEE 802.3: 10Base-T
- IEEE 802.3u: 100Base-TX

Data Transfer Rates
- Ethernet: 10Mbps/20Mbps (Half/Full Duplex)
- Fast Ethernet: 100Mbps/200Mbps (Half/Full Duplex)

Data Bus
- USB 2.0 (1.1 compliant)

LED Indicators
- Power, Link

Power Consumption
- 850mW

Power Management
- Suspend mode, hibernation mode

Network Interface
- Female RJ45 jack

RAM
- Embedded 20KB SRAM for RX packet
- Buffering and 20KB SRAM for TX packet buffering

Manufacturer
OvisLink Corp.
5F, No.96, Min-ChuanRd, Hsin-tien City, Taipei, Taiwan

Operating System Support
- Windows 2000, XP, Vista 32/64-bit;
  Mac OS X

Dimensions
- 72 x 52 x 26 mm (L x W x H)

Weight
- 58g

Operating Temperature
- 0°C to 70°C

Certifications
- FCC, CE

Ordering Information:

EtherWe-1000U	USB 2.0 Ethernet Adapter

* Specification is subject to change without further notice.

Manufacturer
OvisLink Corp.
5F, No.96, Min-ChuanRd, Hsin-tien City, Taipei, Taiwan